

03CO

PATENT




IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

St. Louis, Missouri

CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited in the United States Postal Service as first class mail in an envelope addressed to: BOX MISSING PARTS, Assistant Commissioner for Patents, P.O. Box 2327, Arlington, VA 22202 on December 26, 2001.


Joseph E. Zahner
Reg. No. 48,224
7733 Forsyth Boulevard
Suite 1400
St. Louis, Missouri 63105
(314) 727-5188

In re application of: :
Chang :
Serial No.: 09/943,123 :
Filed: August 30, 2001 : Group Art Unit 1645
For: Dominant Negative Variants of Methionine: :
Aminopeptidase 2 (MetAP2) and Clinical Uses :
Thereof :

BOX MISSING PARTS
Assistant Commissioner for Patents
P.O. Box 2327
Arlington, VA 22202

TRANSMITTAL LETTER

Enclosed please find:

1. Response to Notice to File Correction Application Papers;
2. Notice to File Corrected Application Papers; and
3. Substitute Drawings.

It is believed that no fee is required. However, if this is incorrect and a fee is required, you are hereby authorized to charge any deficiencies or credit any overpayments to Deposit Account 18-1829. A duplicate copy of this letter is enclosed.

Please file said Substitute Drawings.

Respectfully submitted,



Joseph E. Zahner
Reg. No. 48,224
Thompson Coburn LLP
7733 Forsyth Boulevard, Suite 1400
St. Louis, Missouri 63105
(314) 727-5188

20200701 E2F64660

PATENT




IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

St. Louis, Missouri

CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited in the United States Postal Service as first class mail in an envelope addressed to: BOX MISSING PARTS, Assistant Commissioner for Patents, P.O. Box 2327, Arlington, VA 22202 on December 26, 2001.


Joseph E. Zahner
Reg. No. 48,224
7733 Forsyth Boulevard
Suite 1400
St. Louis, Missouri 63105
(314) 727-5188

In re application of: :
Chang :
Serial No.: 09/943,123 :
Filed: August 30, 2001 : Group Art Unit 1645
For: Dominant Negative Variants of Methionine: :
Aminopeptidase 2 (MetAP2) and Clinical Uses :
Thereof :

BOX MISSING PARTS
Assistant Commissioner for Patents
P.O. Box 2327
Arlington, VA 22202

RESPONSE TO NOTICE TO FILE CORRECTED APPLICATION PAPERS


This paper is filed in response to the Notice to File Corrected Application Papers dated November 5, 2001 (copy enclosed herewith).

Remarks

This submission provides enclosed 11 pages of substitute drawings in compliance with 37 CFR 1.84

Should any questions arise, or if applicants' attorney can facilitate examination of this application, it is respectfully requested that the undersigned attorney be contacted so that any remaining issues can be resolved.

Respectfully submitted,

A handwritten signature in black ink, appearing to read 'J. Zahner', written over a horizontal line.

Joseph E. Zahner
Reg. No. 48,224
Thompson Coburn
7733 Forsyth Boulevard
Suite 1400
St. Louis, Missouri 63105
(314) 727-5188

20250101 14:00:00



COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
09/943,123	08/30/2001	Yie-Hwa Chang	16153-8007

CONFIRMATION NO. 9303

FORMALITIES LETTER



OC00000007017345

HOWELL & HAFERKAMP, L.C.
Suite 1400
7733 Forsyth Boulevard
St. Louis, MO 63105

Date Mailed: 11/05/2001

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

*A copy of this notice **MUST** be returned with the reply.*

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE

20010511 11:05:00